



MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)

Site Name: TAYLOR, ANNE C
GWIC Id: 325806

Section 1: Well Owner(s)
 1) TAYLOR, ANNE C (MAIL)
 1040 PHEASANT RIDGE DRIVE
 KALISPELL MT 59901-4190 [03/16/2022]
 2) TAYLOR, ANNE C (WELL)
 1040 PHEASANT RIDGE DRIVE
 KALISPELL MT 59901 [03/16/2022]

Section 2: Location

Township	Range	Section	Quarter Sections	
28N	22W	16		
County			Geocode	
FLATHEAD			07396516404240000	
Latitude	Longitude	Geomethod	Datum	
48.184013	-114.39783	NAV-GPS	WGS84	
Ground Surface Altitude	Ground Surface Method	Datum	Date	

Addition	Block	Lot
PHEASANT RIDGE		5

Section 3: Proposed Use of Water
 DOMESTIC (1)

Section 4: Type of Work
 Drilling Method: ROTARY
 Status: NEW WELL

Section 5: Well Completion Date
 Date well completed: Wednesday, March 16, 2022

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	30	8
30	208	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	208	6	0.25		WELDED	A53B STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
208	208	6			OPEN BOTTOM

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	30	BENTONITE	

Section 7: Well Test Data

Total Depth: 208
 Static Water Level: 126
 Water Temperature:

Air Test *

30 gpm with drill stem set at 195 feet for 1 hours.
 Time of recovery 0.25 hours.
 Recovery water level 128 feet.
 Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Section 8: Remarks

Section 9: Well Log Geologic Source

Unassigned

From	To	Description
0	25	CLAY-BOULDERS
25	135	CLAY-GRAVEL-SMALL BOULDERS
135	155	CLAY
155	199	CLAY-GRAVEL
199	208	GRAVEL-WATER 30 GPM

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: DOUG BILLMAYER
Company: BILLMAYER DRILLING
License No: WWC-335
Date Completed: 3/16/2022

MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)

Site Name: TROPHY'S FOUNDATIONS
GWIC Id: 318627

Section 7: Well Test Data

Total Depth: 220
Static Water Level: 120.4
Water Temperature:

Section 1: Well Owner(s)

- 1) TROPHY'S FOUNDATIONS (MAIL)
P.O. BOX 100729
KALISPELL MT 59904 [11/29/2021]
- 2) TROPHY'S FOUNDATIONS (WELL)
1034 PHEASANT RIDGE DR
KALISPELL MT 59901 [11/29/2021]

Air Test *

30 gpm with drill stem set at 202 feet for 2 hours.
Time of recovery 1 hours.
Recovery water level 120.4 feet.
Pumping water level feet.

Section 2: Location

Township	Range	Section	Quarter Sections
28N	22W	16	SE¼ SE¼
County			Geocode
FLATHEAD			
Latitude	Longitude	Geomethod	Datum
48.18398	-114.398529	TRS-SEC	NAD83
Ground Surface Altitude	Ground Surface Method	Datum	Date

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Addition	Block	Lot
PHEASANT RIDGE		6

Section 8: Remarks

**Section 9: Well Log
Geologic Source**

Unassigned

Section 3: Proposed Use of Water
DOMESTIC (1)

From	To	Description
0	128	TAN CLAY + GRAVEL + COBBLES + BOULDERS
128	154	TAN SANDY CLAY + GRAVEL
154	162	TAN SILT + SAND + SCATTERED GRAVEL + SEEPS OF WATER
162	192	GRAY SANDY SILTY CLAY
192	211	CONSOLIDATED GRAVEL + SAND + TAN SILT + WATER
211	220	GREENISH GRAY ROCK

Section 4: Type of Work

Drilling Method: ROTARY
Status: NEW WELL

Section 5: Well Completion Date
Date well completed: Monday, November 29, 2021

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	30	10
30	220	7.5

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	218	6	0.25		WELDED	A53B STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
200	212	6	144	1/4 X 1	HOLTE PERFORATOR SLOTS
218	218	6			OPEN HOLE

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	30	BENTONITE	

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: JEFF GLAZIER
Company: GLAZIER DRILLING
License No: WWC-655
Date Completed: 11/29/2021

MONTANA WELL LOG REPORT Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)

Site Name: BROWN, MITCH
GWIC Id: 320489

Section 1: Well Owner(s)

- 1) BROWN, MITCH (MAIL)
20 REDWING CT
KALISPELL MT 59901 [03/02/2022]
- 2) BROWN, MITCH (WELL)
1022 PHEASANT RIDGE DR
KALISPELL MT 59917 [03/02/2022]

Section 2: Location

Township	Range	Section	Quarter Sections	
28N	22W	16		
County		Geocode		
FLATHEAD		07396516404270000		
Latitude	Longitude	Geomethod	Datum	
48.189529	-114.406599	TRS-SEC	NAD83	
Ground Surface Altitude	Ground Surface Method	Datum	Date	

Addition **Block** **Lot**

Section 3: Proposed Use of Water

DOMESTIC (1)

Section 4: Type of Work

Drilling Method: ROTARY
Status: NEW WELL

Section 5: Well Completion Date

Date well completed: Wednesday, March 2, 2022

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	193	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	193	6	0.25		WELDED	A53B STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
193	193	6			OPEN BOTTOM

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	25	WYO BEN #8	Y

Section 7: Well Test Data

Total Depth: 193
Static Water Level: 117
Water Temperature:

Air Test *

30 gpm with drill stem set at 180 feet for 2 hours.
Time of recovery 1.5 hours.
Recovery water level 117 feet.
Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Section 8: Remarks

Section 9: Well Log

Geologic Source

Unassigned

From	To	Description
0	1	TOPSOIL
1	76	TAN CLAY
76	181	MOIST GRAY CLAY WITH GRAVEL
181	193	GRAVEL, SAND AND WATER

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: WILLIAM (JOE) DAVIS Company: DAVIS BROTHERS DRILLING License No: WWC-651 Date Completed: 3/2/2022
--

MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)

Site Name: SARKKINEN, DAMIAN
GWIC Id: 327614

Section 1: Well Owner(s)
 1) SARKKINEN, DAMIAN (WELL)
 1016 PHEASANT RIDGE
 KALISPELL MT 59901 [07/13/2023]

Section 2: Location

Township	Range	Section	Quarter Sections
28N	22W	16	NE¼ SE¼ SE¼ SE¼
County		Geocode	

FLATHEAD

Latitude	Longitude	Geomethod	Datum
48.183518	-114.396511	TRS-SEC	NAD83
Ground Surface Altitude	Ground Surface Method	Datum	Date

Addition **Block** **Lot**

Section 3: Proposed Use of Water
 DOMESTIC (1)

Section 4: Type of Work
 Drilling Method: ROTARY
 Status: NEW WELL

Section 5: Well Completion Date
 Date well completed: Thursday, July 13, 2023

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	196	8

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	195	6.6	0.25	540.0	WELDED	A53B STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
193	195	6.6	10	0.25" X 1.25"	TORCH OR PLASMA CUTS

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	30	BENTONITE	Y

Section 7: Well Test Data

Total Depth: 196
 Static Water Level: 132
 Water Temperature:

Air Test *

30 gpm with drill stem set at 190 feet for 2 hours.
 Time of recovery 0.05 hours.
 Recovery water level 132 feet.
 Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Section 8: Remarks

Section 9: Well Log Geologic Source

Unassigned

From	To	Description
0	3	FILL DIRT
3	4	TOP SOIL
4	99	TAN CLAY, GRAVELS, BOULDERS AND COBBLES
99	121	WET SAND
121	187	GRAY CLAY, GRAVELS AND COBBLES
187	196	GRAVELS, SAND, SILT AND WATER

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: LYLE SMITH
Company: OH WELL DRILLING AND PUMP
License No: WWC-637
Date Completed: 7/13/2023

MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)

Site Name: J & F CONSTRUCTION
GWIC Id: 327610

Section 7: Well Test Data

Total Depth: 195
Static Water Level: 142
Water Temperature:

Section 1: Well Owner(s)

1) J & F CONSTRUCTION (WELL)
1007 PHEASANT RIDGE DRIVE
KALISPELL MT 59901 [07/10/2023]

Air Test *

30 gpm with drill stem set at 190 feet for 2 hours.
Time of recovery 0.04 hours.
Recovery water level 142 feet.
Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Section 2: Location

Township	Range	Section	Quarter Sections	Geocode
28N	22W	16	NE¼ SE¼ SE¼ SE¼	
County				
FLATHEAD				
Latitude	Longitude	Geomethod	Datum	
48.183518	-114.396511	TRS-SEC	NAD83	
Ground Surface Altitude	Ground Surface Method	Datum	Date	
Addition	Block	Lot		

Section 3: Proposed Use of Water

DOMESTIC (1)

Section 8: Remarks

Section 4: Type of Work

Drilling Method: ROTARY
Status: NEW WELL

Section 9: Well Log

Geologic Source

Unassigned

Section 5: Well Completion Date

Date well completed: Monday, July 10, 2023

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	195	8

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	194	6.6	0.25	540.0	WELDED	A53B STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
192	194	6.6	10	0.25" X 1.25"	TORCH OR PLASMA CUTS

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	30	BENTONITE	Y

From	To	Description
0	123	TAN CLAY, GRAVELS, COBBLES AND BOULDERS
123	137	WET SAND
137	186	GRAY CLAY, GRAVELS AND COBBLES
186	195	GRAVELS, SANDY SILT AND WATER

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: LYLE SMITH
Company: OH WELL DRILLING AND PUMP
License No: WWC-637
Date Completed: 7/10/2023