

MONTANA WELL LOG REPORT

Other Options

This well log reports the activities of a licensed Montana well driller, serves as the official record of work done within the borehole and casing, and describes the amount of water encountered. This report is compiled electronically from the contents of the Ground Water Information Center (GWIC) database for this site. Acquiring water rights is the well owner's responsibility and is NOT accomplished by the filing of this report.

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)
[View scanned well log_\(8/7/2009 10:44:03 AM\)](#)

Site Name: SILVERS ANDY
GWIC Id: 169194

Section 7: Well Test Data

Total Depth: 279
 Static Water Level: 178
 Water Temperature:

Section 1: Well Owner(s)

1) SILVERS, ANDY (MAIL)
 2665 FARM TO MARKET
 KALISPELL MT 59901 [01/08/1999]

Air Test *

30 gpm with drill stem set at feet for 1 hours.
 Time of recovery 0 hours.
 Recovery water level feet.
 Pumping water level 260 feet.

Section 2: Location

Township	Range	Section	Quarter Sections	Geocode	
29N	22W	28	NW¼ NW¼ NW¼		
County			Geocode		
FLATHEAD					
Latitude	Longitude	Geomethod	Datum		
48.253958	-114.415929	TRS-SEC	NAD83		
Ground Surface Altitude	Ground Surface Method	Datum	Date		
Addition	Block	Lot			

* During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.

Section 3: Proposed Use of Water

DOMESTIC (1)

Section 8: Remarks

Section 4: Type of Work

Drilling Method: ROTARY
 Status: NEW WELL

Section 9: Well Log

Geologic Source

112ALVM - ALLUVIUM (PLEISTOCENE)

Section 5: Well Completion Date

Date well completed: Friday, January 8, 1999

From	To	Description
0	194	CLAY GRAVEL COBBLESTONES & BOULDERS
194	254	CLAY & GRAVEL
254	275	SMALL GRAVEL & WATER
275	300	CLAY & GRAVEL

Section 6: Well Construction Details

Borehole dimensions

From	To	Diameter
0	18	10
18	240	8
240	300	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-1.5	279	6				STEEL

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
260	275	6		1/4X1	HOLTE PERFORATOR SLOTS

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	18	BENTONITE	

Name:
Company: SUDAN DRILLING
License No: WWC-450
Date Completed: 1/8/1999